

BEOSOUND

MUSIC AT HOME



GOLD TONE

Speaker front

Golden fabric by Kvadrat

Base

Gold Tone aluminium

Speaker side panel

Light Oak



BLACK

ANTHRACITE

Speaker front

Black Anthracite aluminium

Base

Black Anthracite aluminium

Speaker side panel

Black Anthracite Polymer





BASIC

Product dimensions L x H x D

25.5 x 16.5 X 6.7 cm

Weight

Gold Tone/Light Oak: 1.30 kg

Black Anthracite: 1.38 kg

Placement

- Shelves
- Side tables
- Other furniture pieces

TECHNICAL

Speaker drivers

1 x 4" woofer driver

1 x 1.45" mid range driver

1 x 0.6" tweeter

Power Amplifiers

Non-clipped peak (W)

1 Class D at 60 W for woofer

1 Class D at 30 W for mid range

1 Class D at 30 W for tweeter

Frequency Range

49 - 22.000 Hz

Features

- Active Room Compensation
- Beosonic
- Bang & Olufsen Radio

Microphones

Yes

CONNECTIVITY

Wireless Networks

Wi-fi/WLAN

802.11 b/g/a/n/ac (2.4 GHz & 5 GHz)

Bluetooth type: 5.0

Connections

- 1 x Ethernet 10/100 Mbit
- 1 x Line-in/ Optical combi-jack
- 1 x Power via USB-C
- 1 x Service port via micro USB

Streaming Formats

- Chromecast built-in™
- Apple AirPlay 2
- Bluetooth audio streaming
- Spotify Connect

Voice Assistant

Google Assistant*

Multiroom

Multiroom technologies from Apple AirPlay2 and Chromecast built-in™ are integrated and ready for you to create a connected speaker setup with Beosound Emerge.

OTHER INFORMATION

Designer

Benjamin Hubert of LAYER design

Cord

Polymer USB-C power cord included.

**Google and Chromecast built-in are trademarks of Google LLC.
Google Assistant is not available in certain languages and countries.*



NATURAL


S
Dark grey fabric
by Kvadrat



Natural aluminium

GOLD TONE

S
Light oak



Gold Tone aluminium



IMPORTANT FEATURES

- 🎵 Superior sound that adjusts to compensate for any position or room.
- ✍️ Compact and portable design. Lay it flat, on its side, or hang it on a wall.
- 📦 Crafted with care: modular in design and made from high-quality materials.
- 🔌 Sleek, seamless charging options and up to 16 hours of battery life.
- 🔗 Part of Connected Speakers: Connect with other speakers and build your soundscape.



BASIC	34.8 x 23 x 5.6 cm	· Standing upright · Hanging on a wall · Lying flat
	3.3 kg	10 - 50 m
TECHNICAL	Non-clipped peak (W) 2 x Class D at 30 W for woofer 1 x Class D at 30 W for full range 1 x Class D at 15 W for tweeter	39 - 23.000 Hz Power supply built-in. Polymer/fabric power cord included depending on colour tone.
	2 x 0.8" tweeter 1 x 2" full-range 2 x 4" woofer 96 dB SPL 79 dB SPL Rechargeable lithium-ion battery with up to 16 hours/4 hours of playback 3 hours for 100% 2 hours for 80%	· Active Room Compensation · Position depended sound staging · Thermal Protection · Adaptive Bass Linearization · Beosonic · Exchangeable Lithium-ion battery · Exchangeable front cover · Proximity sensor · Light sensor Yes

NATURAL

Speaker Cover

Sand knitted fabric

Base

Natural oak

Speaker grill and top plate

Gold Tone aluminium



BLACK

Speaker Cover

Anthracite knitted fabric

Base

Black oak

Speaker grill and top plate

Black aluminium



GOLD TONE

Speaker Cover

White knitted fabric

Base

Carrara marble

Speaker grill and top plate

Gold Tone aluminium



NATURAL
ALUMINIUM

Speaker Cover

Light grey knitted fabric

Base

Natural aluminium, turned

Speaker grill and top plate

Natural aluminium,
pearl blasted





BASIC

Product dimensions

D x H: 20 x 38 cm

Weight

7.2 kg

Placement

- Shelves
- Side tables
- Other furniture pieces

Recommended Room Size

10 - 80 m

TECHNICAL

Power Amplifiers

Non-clipped peak (W)

2 x Class D at 200 W for woofer

4 x Class D at 100 W for full range

1 x Class D at 80 W for tweeter

Speaker Drivers

2 x 5,25" woofer drivers

2 x 3" fullrange drivers

2 x 2" full range drivers

1 x " tweeter

Maximum Sound

Pressure Level @1m

104 dB SPL

Bass Capability @1m

88 dB SPL

Frequency Range

26 - 23.000 Hz

Power Supply

Power supply built-in.

Fabric power cord included.

Features

- Active Room Compensation
- Sound Directivity
- Thermal Protection
- Adaptive Bass Linearization
- Proximity sensors
- Light sensor
- Beosonic

Microphones

Yes

CONNECTIVITY

Wireless Networks

Wi-fi/WLAN

802.11 b/g/a/n/ac (2.4 GHz & 5 GHz)

Bluetooth type: 5.0

Stereo Pairing

Bang & Olufsen Stereo Pairing*

Connections

1 x Line-in/Optical combi-jack

2 x Ethernet 10/100 Mbit

Streaming Formats

Chromecast built in

Apple AirPlay 2

Bluetooth Audio Streaming

Spotfiy Connect

Integrated Music Services

Bang & Olufsen Radio

Multiroom

Apple AirPlay 2, Chromecast and BeoLink Multiroom technologies are integrated and ready for you to create a wireless Multiroom setup with Beosound Balance.

Voice Assistant

Google Assistant**

Remote Control

Beremote One BT

Beoremote Halo

Bang & Olufsen App

OTHER INFORMATION

Designer

Benjamin Hubert of LAYER

* Bang & Olufsen Stereo Pairing is factory default encoded using LC3plus high resolution Codec. LC3plus is licensed by Fraunhofer IIS <https://www.iis.fraunhofer.de/audio>

** Google and Chromecast built-in are trademarks of Google LLC. Google Assistant is not available in certain languages and countries.




NATURAL

Natural Aluminium

Black

Black



BRONZE TONE

Bronze Tone
Aluminium

Warm Taupe by Kvadrat

White



SMOKED OAK

Smoked Oak

Grey by Kvadrat

Black




GOLD TONE

Gold Tone
Aluminium

Golden fabric by Kvadrat

Black



BLACK
ANTHRACITE

Black Anthracite Grey
Aluminium


Dark Grey by Kvadrat

Black





BASIC



8 kg


Wall or table/shelf

TECHNICAL

Closed boxes

4 x 50 W class D for Bass driver
4 x 50 W class D for Midrange driver 3
x 50 W class D for Tweeter driver

S



Airplay 2
Chromecast built-in
BeoLink Multiroom support including
Touch to Join

Volume up/down - step forward/
previous - Touch to Join/Preset -
Bluetooth pairing

3rd party TV remote (volume - mute -
on - standby), control commands via
HDMI ARC
Beoremove One BT with LG OLED C9
TVs
Bang & Olufsen app

3 -channel stereo sound system Dolby
Atmos
Dolby TrueHD
AirPlay 2
ChromeCast built-in
Bluetooth 4.2
TuneIn
QPlay 2.0
Deezer
Audio playback via analogue Line-in



FRAME
Silver aluminium



SPEAKER COVER
Oak

FRAME
Silver aluminium




SPEAKER COVER
Grey mélange fabric

FRAME
Black Anthracite
aluminium




SPEAKER COVER
Dark oak

FRAME
Gold Tone aluminium



SPEAKER COVER
Light oak



Available for customisation

With the B&O AR Experience app, you can preview the customisation options and view the speakers in different rooms.

Ask in store or visit
www.bang-olufsen.com
for more information.

TV SCREEN
Optimised for LG OLED C2/G2/Z2
55"/65"/77"



Technical

CABINET PRINCIPLE

Closed cabinet

LOCAL BUTTONS

Volume up/down, Play/pause,
Step forward/previous, Touch to join,
Bluetooth pairing and 4 favorite buttons

LOUDSPEAKER

11 outputs:

7 Internal: Left, Centre, Right / Left and
Right side-firing / Left and Right up-firing
4 Virtual: Virtual Left and Right Surround /
Virtual Left and Right Front Height

AMPLIFIER

12 power amplifiers:
2 x 100 watts amplifiers for bass outputs
10 x 60 watts amplifiers for center channel,
left/right/upfiring/side firing outputs

SPEAKER CONFIGURATION

12 speaker drivers
2 x 6.5" woofer custom made
1 x 5.25" midrange + 1 x 1" tweeter for
custom made coaxial centre speaker
2 x 3" midrange
4 x 2.5" full range
2 x 1" tweeter

ADVANCED SOUND FEATURES

Integrated 7.1.4 Dolby Atmos decoding
and custom-tuned post-processing
with proprietary True Image
up- / downmixing algorithm.
Advanced Bass management system
Adaptive Bass Linearisation (ABL)
Thermal protection

ROOMSENSE

Automated speaker setup with external
microphone:

Speaker level and distance

Speaker role

Speaker position compensation
from 30 – 10.000Hz

Room resonance compensation
from 30 – 200Hz

FREQUENCY RANGE

28 Hz - 23,000 Hz

MAXIMUM OUTPUT LEVEL (SPL) @1M

112 dB SPL

BASS CAPABILITY @1M

94 dB SPL

SOUND FORMAT HDMI

Dolby Atmos supporting:

Dolby Digital TrueHD

Dolby Digital plus 7.1 (including DD5.1)

Dolby Atmos, Dolby MAT

PCM 7.1 multichannel

MPEG-2 AAC

MPEG-4 HE-AAC

TOUCH UI WITH PROXIMITY SENSOR

Ultrasonic sound for detection of
a person within 60 cm range

POWER CONSUMPTION

Typical: 120 W

TV SCREEN

Optimised for LG OLED C2/G2/Z2
55"/65"/77"

Connectivity

WIRED CONNECTIVITY

3 x HDMI input with CEC input
 1 x HDMI eARC with passthrough 4K 120FPS / 8K 60FPS / 40Gbit
 Analogue audio in via USB-C (3.5 mm passive jack adaptor required. B&O partno. 6271374)
 Ethernet switch with 4 x 1Gbit ports.
 One port assigned for LG OLED TV connection for integrated control via Beoremove One and Bang & Olufsen App

WIRELESS CONNECTIONS

Dual band WLAN 2.4 / 5GHz
 IEEE 802.11 b/g/a/n/ac
 Standard built-in, WiSA compliant.
 Connect up to eight Beolab loudspeakers wirelessly in addition to the wired loudspeakers.
 Bluetooth 5.1 (BLE and EDR)
 Bluetooth Codecs (AAC and SBC)

INTEGRATED MUSIC SERVICES

Bang & Olufsen Radio

VOICE ASSISTANT

Via external Google assistant device

REMOTE CONTROL

Integrated system control, including LG OLED TV
 Beoremove One BT
 Bang & Olufsen App
 Beoremove Halo for music streaming

STREAMING SERVICES

Apple AirPlay 2
 Bluetooth audio streaming
 DLNA
 Chromecast built-in
 Spotify Connect
 Deezer
 QPlay

MULTIROOM

Apple Airplay 2 multiroom
 Google Cast groups
 Beolink incl join of TV / HDMI input sound (not in sync) and analogue line-in

SPEAKER OUTPUTS

8 x Wireless Powerlink
 8 x Powerlink

PERIPHERAL UNIT CONTROL

Integrated Peripheral Unit/Set-top Box
 Controller for two units, allowing you to control set-top boxes with the Bang & Olufsen remote control

MOTORISED TURN FUNCTION

1 x micro-fit 4 pin

SOCKET EXTERNAL ROOMSENSE MICROPHONE

3.5 mm jack
 Slider for microphone mute



Captivating from every angle. No matter where and how you play.

Wireless speaker system with powerful 360-degree sound performance. Crafted in solid aluminium and designed for easy streaming via Chromecast Built-in, Apple AirPlay 2 and Bluetooth. Beosound 2 is a complete and striking Multiroom speaker that complements any home interior either standing free on the floor or placed on low furniture.



Important features

-  Powerful speaker system with deep base
-  Advanced 360-degree sound technology
-  Full streaming freedom over wifi and Bluetooth
-  Built for seamless multiroom experiences
-  Meticulous craftsmanship and attention to detail





Basic

PRODUCT DIMENSIONS

20 W x 43.1 H x 20 D cm

MATERIALS

Aluminium

WEIGHT

4,1 kg

OPERATING CONDITIONS

Temperature: 10-40°

C Humidity: 30-95%

RECOMMENDED ROOM SIZE

10-60 M / 100-600 ft²

Technical

POWER AMPLIFIERS

1 x 15 W class D for tweeter
2 x 15 W class D for mid-range
2 x 30 W class D for woofer

FREQUENCY RANGE

33 - 23.400 Hz

SPEAKER DRIVERS

1 x ¾" tweeter
2 x 2" mid-range
1 x 5 ¼" woofer

POWER CONSUMPTION

Typical: 15 W

Standby: 4,5 W

MICROPHONES

Yes, used for Active Room Compensation

MAXIMUM SOUND PRESSURE LEVEL @1M

94 dB SPL

BASS CAPABILITY

84 dB SPL



Connectivity

WIRELESS CONNECTION

Dual band WLAN 2.4 & 5 GHz, IEEE 802.11 b/g/a/n/ac/ax Wi-Fi for high-performance streaming
Bluetooth 5.3

STEREO PAIRING

B&O Stereo Pairing¹
Chromecast Stereo Pairing²

CONNECTIONS

1 x Ethernet 10/100 Mbit/s,
1 x Line-in via USB-C (adapter included),
1 x Power

STREAMING FORMATS

AirPlay 2
Spotify Connect
Beolink Multiroom
Chromecast Built-In
Tidal Connect

INTEGRATED MUSIC SERVICES

B&O Radio
Deezer (incl Deezer HiFi)
QPlay 2.0 (China Specific)

MULTIROOM:

Apple AirPlay 2, Chromecast and BeoLink Multiroom® technologies are integrated and ready for you to create a wireless Multiroom setup with Beosound 2 3rd gen.

REMOTE CONTROL

Bang & Olufsen App
Beoremove One
Beoremove Halo

Other information

DESIGNER

Torsten Valeur, David Lewis Designers

IN THE BOX

Beosound 2 3rd Gen
Mains cable
Quick Start Guide
USB-C to AUX adapter

FEATURES

Active Room Compensation
Acoustic Lens Technology
Adaptive Bass Linearization
Thermal Protection
Beosonic Equalizer

¹Bang & Olufsen Stereo Pairing is factory default encoded using LC3plus high resolution Codec. LC3plus is licensed by Fraunhofer IIS: www.iis.fraunhofer.dk/audio

²Google and Chromecast built-in are trademarks of Google LLC. Google Assistant is not available in certain languages and countries.



Natural




Black Anthracite



Gold Tone





Iconic sound. All round.

A statement in sound and sight. Beosound A9 makes every musical moment rich, detailed and immersive – all from a seamless circular shape that blends in beautifully or stands out confidently.


Crafted from premium anodised aluminium, fabric and real oak, it's a timeless work of art that can be customised to match your space and taste.

When it's time to dial up the volume, simply slide your finger gently across the top surface – and with a simple tap you can skip to the next or previous track and play/pause your music.



Important features

-  Room-filling sound
-  Customisable beauty
-  Slide and tap control
-  Part of Connected Speakers





Basic

PRODUCT DIMENSIONS
70.1 W x 90.8 H x 41.5 D cm (with legs)

OPERATING CONDITIONS
Temperature: 10-40° C
Humidity: 30-95%

WEIGHT
14.7 kg (with legs)

PLACEMENT OPTIONS
Floor
Wall

RECOMMENDED ROOM SIZE
15-100 m² / 150-1000 ft²

MATERIALS
Wood
Fabric
Aluminium
Polymer

Technical

POWER AMPLIFIERS
1 x 400 W class D for bass
2 x 200 W class D for midrange
2 x 200 W class D for fullrange
2 x 150 W class D for treble

BASS CAPABILITY
95 dB SPL

FREQUENCY RANGE
33- 23.000 Hz

SPEAKER DRIVERS
2 x ¾" tweeters
2 x 1 ½" full-range
2 x 3" mid-range
1 x 8" woofer

POWER CONSUMPTION
Typical: 23 W
Standby: 3,3 W

MAXIMUM SOUND PRESSURE LEVEL @1M
100 dB SPL

MICROPHONES
Yes, used for Active Room Compensation



Connectivity

WIRELESS CONNECTION

Dual band WLAN 2.4 & 5 GHz, IEEE 802.11
b/g/a/n/ac/ax Wi-Fi for high-performance
streaming
Bluetooth 5.3

STEREO PAIRING

B&O Stereo Pairing¹
Chromecast Stereo Pairing²

CONNECTIONS

1 x Ethernet 10/100 Mbit/s
1 x Line-in via USB-C (adapter included)
1 x Power

STREAMING FORMATS

AirPlay 2
Spotify Connect
Beolink Multiroom
Chromecast Built-In
Tidal Connect

INTEGRATED MUSIC SERVICES

B&O Radio
Deezer (incl Deezer HiFi)
QPlay 2.0 (China Specific)

MULTIROOM

Apple AirPlay 2, Chromecast and BeoLink
Multiroom[®] technologies are integrated
and ready for you to create a wireless
Multiroom setup with Beosound A9 5th gen.

REMOTE CONTROL

Bang & Olufsen App
Beoremove One
Beoremove Halo

Other information

DESIGNER

Øivind Alexander Slaatto

IN THE BOX

Beosound A9 5th Gen.
Front cover
3 x wooden legs
Mains cable
Quick start guide
USB-C to AUX Adapter

FEATURES

Active Room Compensation
Adaptive Bass Linearization
Thermal Protection
Beosonic Equalizer

¹Bang & Olufsen Stereo Pairing is factory default encoded using LC3plus high resolution
Codec. LC3plus is licensed by Fraunhofer IIS: www.iis.fraunhofer.dk/audio

²Google and Chromecast built-in are trademarks of Google LLC. Google Assistant is
not available in certain languages and countries.



Natural

BACK
Grey Mist

RING
Natural aluminium,
polished

COVER
Light Grey fabric by
Kvadrat

LEGS
Oak




Black Anthracite

BACK
Black

RING
Black aluminium,
polished

COVER
Black Knit fabric

LEGS
Dark Oak



Gold Tone


BACK
Sand

RING
Gold Tone
aluminium, polished

COVER
Gold Tone fabric by
Kvadrat

LEGS
Light Oak





Key selling points

RICH ROOM-FILLING SOUND

A9 fills any space with powerful, potent sound. Whether placed proudly in the centre of a large room or tucked neatly away in a corner, audio quality is automatically optimised with the help of Active Room Compensation – meaning you always hear the details just as the artist intended.

CUSTOMISABLE BEAUTY

Whatever your interior style, A9 can blend in beautifully or stand out confidently. But one size doesn't have to fit all: choose from a range of tactile covers designed by the world-leading textile company Kvadrat, plus a series of real wood legs with natural detail.

SLIDE AND TAP CONTROL

When it's time to dial up the volume, simply slide your finger gently across the top surface. With a simple tap you can skip to the next or previous track and play/pause your music. No buttons necessary.

PART OF CONNECTED SPEAKERS

Add A9 to any connected speaker set up and experience immersive music throughout your home. Play the same song everywhere or different songs in different rooms – you are in control.



Music's next move

Beosound A5 goes where no portable speaker has gone before.
Acoustically. Aesthetically. Effortlessly.

Elegant looks disguise a world of power and precision that brings huge sound anywhere – in the home, or out in the wild. Serious bass. Seriously smart. With A5, you won't know what's hit you.

Stream anything wirelessly. Connect other speakers seamlessly. All in a grab-and-go package that's designed to be updated over time instead of replaced, so it'll always be by your side.

This is music's next move.



Important features

-  Modular design that is built to last
-  Room-filling 360° sound
-  AirPlay 2, Chromecast, Bluetooth 5.3
-  More than 12 hours play time
-  Wireless Qi charging on surface





Basic

PRODUCT DIMENSIONS

28.5 W x 18.7 H x 13 D cm

Without handle:

26 W x 18.7 H x 13 D cm

WEIGHT

Nordic Weave:

3.743 kg

Dark Oak:

3.747 kg

RECOMMENDED ROOM SIZE

10 - 50 m²

MATERIALS

Aluminium

Polymer

Paper weave

Oak wood

PLACEMENT

Table, shelf or floor

OPERATING CONDITIONS

Temperature: 0-40° C

Humidity: 30-70% RH

Technical

POWER AMPLIFIERS

Non-clipped peak (W)

1 x 70 watt class D for woofer

2 x 70 watt class D for full-range

1 x 70 watt class D for tweeter

SPEAKER DRIVERS

1 x 5.25" woofer

2 x 2" full-range

1 x 3/4" tweeter

MAXIMUM SOUND

PRESSURE LEVEL @1M

101 dB SPL

BASS CAPABILITY @1M

80 dB SPL

BATTERY

More than 12 hours at moderate listening level (70 dB).

Replaceable 7.200 mAh lithium-ion battery.

CHARGING TIME

Charge for 3 hours for a full charge, or 2 hours for an 80% charge.

FREQUENCY RANGE

32 - 23.000 Hz

POWER SUPPLY

We strongly recommend using a Bang & Olufsen power supply (included with the product).

Input: 90 - 240 V, 50/60 Hz

Output: 5 V - 9 V - 12 V - 15 V/3 A

20V - 2.25 A (using when charging).

POWER CONSUMPTION

Normal usage: 8 watt

Network standby: 3.7 watt

(automatic when no activity)

Standby: 0.5 watt

(press the power button 2

seconds - two beeps will confirm)

Storage mode: 0 watt

(press the power button 8 seconds - two beeps and then one beep will confirm)

MICROPHONES

Yes, for Active Room Compensation



Connectivity

WIRELESS CONNECTIONS

Dual band WLAN 2.4v / 5GHz
IEEE 802.11 b/g/a/n/ac/ax
Wi-Fi 6
Bluetooth 5.3
Ultra-Wide-Band

STEREO PAIRING

B&O Stereo Pairing¹
Chromecast Stereo Pairing²

CONNECTIONS

USB-C

STREAMING FORMATS

- Chromecast built-in™²
- Apple AirPlay 2
- Bluetooth audio streaming
- Spotify Connect
- Tidal Connect
- Deezer

INTEGRATED MUSIC SERVICES

Bang & Olufsen Radio

MULTIROOM

Apple AirPlay 2, Chromecast and BeoLink Multiroom® technologies are integrated and ready for you to create a wireless Multiroom setup with Beosound A5.

SUPPORTED AUDIO FORMATS

MP3, WMA, AAC, ALAC, FLAC, WAV, AIFF, OGG, HLS
Standard sample rates up to 192 kHz, stereo and up to 24 bit
Note: WMA lossless is not supported

REMOTE CONTROL

Beoremove One BT
Beoremove Halo (When connected to Wi-Fi)
Bang & Olufsen App

Other information

DESIGNER

GamFratesi + Bang & Olufsen Design Team

IN THE BOX

Beosound A5
USB-C to C cable for charging
Bang & Olufsen power supply

FEATURES

- Beosonic Equalizer
- RoomSense
- Favorite buttons
- Wireless Qi Charging
- IP65³ water resistance
- Replaceable covers and handle
- Designed to be serviced

¹Bang & Olufsen Stereo Pairing is factory default encoded using LC3plus high resolution Codec. LC3plus is licensed by Fraunhofer IIS: www.iis.fraunhofer.dk/audio

²Google and Chromecast built-in are trademarks of Google LLC. Google Assistant is not available in certain languages and countries.

³Wood and paper weave may be damaged by water



Nordic Weave

FRAME
Natural Aluminium

COVER
Fibre Weave

HANDLE
Light Oak





Dark Oak

FRAME
Black Anthracite
Aluminium

COVER
Dark Oak

HANDLE
Dark Oak





Key Selling Points

BRINGS THE BASS. READS THE ROOM.

Four custom drivers for true 360-degree sound. The most powerful custom-made woofer in any of our portable speakers. All powered by individual digital amplifiers and advanced signal processing for the highest fidelity in any room. You won't just hear A5 – you'll feel it.

AHEAD OF THE GAME. AND THE TIMES.

A5 isn't just built to last – it's built to evolve. Replace parts over time instead of replacing the whole speaker, and upgrade your system as new features become available to make your music experience better and better.

PORTABILITY? HANDLED

A5 builds incredible soundscapes in every room, balcony, or park. Enjoy 12 hours of cordless music and wireless charging for your phone. All packed in a IP65 water-resistant construction you'll be proud to carry everywhere.

MIX. MATCH. MAGIC.

Paired up, your music sours further. Stereo-pair two A5 for full immersion, or connect to any compatible wireless speaker to orchestrate music in every room. A5 is primed to bring it all together.

FORM AND FIDELITY

A5 epitomises the best of design and materials. Real oak and rich aluminium make for a tactile experience. Everything crafted with longevity in mind.



Off the wall music

Beosound Shape is a wall-mounted wireless speaker system for design conscious music lovers – delivering immersive sound staging, a customizable design and integrated noise dampers for improved room acoustics.


Based on a modular tile concept, Beosound Shape is designed to provide ultimate creative freedom. Each tile serves a function as either speaker, amplifier or acoustic damper and can be pieced together in endless combinations.

Living room, hotel lobby or restaurant – whatever the setting, we will let you define the size, colours and even the sound performance to match.





MEASUREMENTS



BASIC

36.4 x 32 x 11.1 cm

15 kg (8 tiles setup)

Wall

20-100 m / 200-1000 ft

Tile with fabric and star rail
mounting system:

36.4 x 32.0 x 11.1

The star rail system makes a 6 mm
air gap between cabinet and wall

Maximum amplifier tiles: 11

Maximum speaker tiles: 44

Acoustic damper tiles: unlimited

AMPLIFIER TILE

2.0 kg + 0.4 kg (fabric cover)

8 x 80 Watt (Class D)

4

Black

· AC power (note if multiple amplifiers,
each requires its own AC power
connection)

· Optical digital audio input

· USB (for control and SW update)

· Powerlink input

· Amplifier input (sound & control
input), for daisy chaining of
amplifiers

· Amplifier output (sound & control
output), for daisy chaining of
amplifiers

· 4 x speaker 4-wire output

SPEAKER TILE

1.9 kg + 0.4 kg (fabric cover)

Closed box

Black

1 x speaker 4-wire input

Woofer 5 "

Tweeter "

ACOUSTIC DAMPER TILE

0.51 kg + 0.4 kg (fabric cover)

Black

Note: Acoustic damper tiles can
also be used as empty tiles to hide,
for example, cables, power strips,
or power adapters. You just need to
remove the damping material.



FABRIC



Black



Brazilian Clay



Wild Dove Grey



Parisian Blue



Purple Heart



Warm Taupe

FABRIC BY KVADRAT



Brown



Pink




Moss Green



Dark Blue




Grey Define



Dark Grey Define

WOOD



Dark Oak